Brain Research, 405 (1987) 409–411
Elsevier

Author Index

Akasu, T. and Koketsu, K., Evidence for epinephrine-induced depolarization in neurons of bullfrog sympathetic ganglia, 375
Ando, S., Kametani, H., Osada, H., Iwamoto, M. and Kimura, N., Delayed memory dysfunction by transient hypoxia, and its prevention with forskolin, 371
Aou, S., see Nishino, H., 56
Avoli, M., see Giaretta, D., 68

Bailey, R.P., see Ebbesson, S.O.E., 175
Bazer, G.T., see Ebbesson, S.O.E., 175
Beal, M.F., Mazurek, M.F. and Martin, J.B., A comparison of somatostatin and neuropeptide Y distribution in monkey brain, 213
Berkenbosch, F. and Steinbusch, H.W.M., Histamine-immunostaining in the rat median eminence: an unexpected form of cross-reactivity with LH-RH, 353
Besharse, J.C., see Pierce, M.E., 400
Bilkey, D.K. and Goddard, G.V., Septohippocampal and commissural pathways antagonistically control inhibitory interneurons in the dentate gyrus, 320
Bischof, H.-J., see Nixdorf, B., 326
Bissoli, R., Niso, R., Contestabile, A. and Szabo, T., Regional levels of neurotransmitter-related markers in the brain of the weakly electric fish *Gnathonemus petersii*, 380
Blair, M.L., see Davis, B.J., 1
Bland, B.H., see Konopacki, J., 196
Bonhaus, D.W., Rigsbee, L.C. and McNamara, J.O., Intranigral dynorphin-1–13 suppresses kindled seizures by a naloxone-insensitive mechanism, 358
Bramham, C.R. and Srebro, B., Induction of long-term depression and potentiation by low- and high-frequency stimulation in the dentate area of the anesthetized rat: magnitude, time course and EEG, 100
Brody, M.J., see Janss, A.J., 140
Buchwald, N.A., see Levine, M.S., 389
Bunney, B.S., see Freeman, A.S., 46

Callaway, J.C., Masinovsky, B. and Graubard, K., Co-localization of SCP_B-like and FMRFamide-like immunoreactivities in crustacean nervous systems, 295
Cardinali, D.P., see Franchi, A.M., 384
Carlsson, K.-H., see Wilcox, G.L., 84
Clemo, H.R. and Stein, B.E., Responses to direction of stimulus movement are different for somatosensory and visual cells in cat superior colliculus, 313
Cohen, M.S., Schwartz-Giblin, S. and Pfaff, D.W., Brainstem reticular stimulation facilitates back muscle motoneuronal responses to pudendal nerve input, 155
Contestabile, A., see Bissoli, R., 380
Cox, B.F., see Janss, A.J., 140
Croll, R.P., Distribution of monoamines in the central nervous system of the nudibranch gastropod, *Hermissenda crassicornis*, 337
Curtis, D.R., see Kerr, D.I.B., 150

Dagan, D., see Ram, J.L., 16

Davis, B.J., Blair, M.L., Sladek Jr., J.R. and Sladek, C.D., Effects of lesions of hypothalamic catecholamines on blood pressure, fluid balance, vasopressin and renin in the rat, 1
Demura, H., see Suda, T., 247
Divac, I., see Jørgensen, O.S., 39
Dolabela de Lima, A., see Stichel, C.C., 395
Dolphin, A.C., see Prestwich, S.A., 130

Ebbesson, S.O.E., Bazer, G.T., Bailey, R.P., Reynolds, J.B. and Smith, J.E., Changes with age in total brain concentrations of biogenic amine neurotransmitters in coho salmon (*Oncorhynchus kisutch* Walbaum), 175
Eltringham, L., see O'Byrne, K.T., 80

Forda, S.R., see Prestwich, S.A., 130
Franchi, A.M., Gimeno, M.F., Cardinali, D.P. and Vacas, M.I., Melatonin, 5-methoxytryptamine and some of their analogs as cyclo-oxygenase inhibitors in rat medial basal hypothalamus, 384
Frank, M.E., see Whitehead, M.C., 192
Freeman, A.S. and Bunney, B.S., Activity of A_9 and A_{10} dopaminergic neurons in unrestrained rats: further characterization and effects of apomorphine and cholecystokinin, 46

Gallager, D.W., see Gonsalves, S.F., 94
Gebhart, G.F., see Janss, A.J., 140
Giaretta, D., Avoli, M. and Gloor, P., Intracellular recordings in pericruciate neurons during spike and wave discharges of feline generalized penicillin epilepsy, 68
Gimeno, M.F., see Franchi, A.M., 384
Gloor, P., see Giaretta, D., 68
Goddard, G.V., see Bilkey, D.K., 320
Gonsalves, S.F. and Gallager, D.W., Time course for development of anticonvulsant tolerance and GABAergic subsensitivity after chronic diazepam, 94
Gonzalez, M., see Motles, E., 165
Graubard, K., see Callaway, J.C., 295
Guilbaud, G., see Kayser, V., 123
Gynther, B.D., see Kerr, D.I.B., 150

Hettinger, T.P., see Whitehead, M.C., 192
Holt, S.J., Wheal, H.V. and York, D.A., Hypothalamic control of brown adipose tissue in Zucker lean and obese rats. Effect of electrical stimulation of the ventromedial nucleus and other hypothalamic centres, 227
Hou, L.-T., see Whitehead, M.C., 192
Hull, C.D., see Levine, M.S., 389

Inenaga, K. and Mason, W.T., Chloride channels activated by γ-aminobutyric acid in normal bovine lactotrophs, 159
Inenaga, K., see Yamashita, H., 348
Infante, C., see Motles, E., 165
Iwamoto, M., see Ando, S., 371

Janss, A.J., Cox, B.F., Brody, M.J. and Gebhart, G.F., Dissociation of antinociceptive from cardiovascular effects of stimulation in the lateral reticular nucleus in the rat, 140

Jochim, A., see Wilcox, G.L., 84
Jonsson, G., see Sundström, E., 26
Jørgensen, O.S., Mogensen, J. and Divac, I., The N-CAM D2-protein as marker for synaptic remodelling in the red nucleus, 39
Jurna, I., see Wilcox, G.L., 84

Kametani, H., see Ando, S., 371
Kannan, H., see Yamashita, H., 348
Kayser, V. and Guilbaud, G., Cross-tolerance between analgesic low doses of morphine and naloxone in arthritic rats, 123
Keller, F., Rimvall, K. and Waser, P.G., Choline and acetylcholine metabolism in slice cultures of the newborn rat septum, 305
Kerr, D.I.B., Ong, J., Prager, R.H., Gynther, B.D. and Curtis, D.R., Phaclofen: a peripheral and central baclofen antagonist, 150
Kimura, N., see Ando, S., 371
Kirkwood, P.A., Sears, T.A., Stagg, D. and Westgaard, R.H., Intercostal muscles and purring in the cat: the influence of afferent inputs, 187
Koketsu, K., see Akasu, T., 375
Konopacki, J., MacIver, M.B., Roth, S.H. and Bland, B.H., Carbachol-induced EEG θ activity in hippocampal brain slices, 196
Korf, J., see Loopuijt, L.D., 405
Kurihara, M., see Plunkett, L.M., 205
Kuwayama, Y., Terenghi, G., Polak, J.M., Trojanowski, J.Q. and Stone, R.A., A quantitative correlation of substance P-, calcitonin gene-related peptide- and cholecystokinin-like immunoreactivity with retrogradely labeled trigeminal ganglion cells innervating the eye, 220

Lawson, D., see Neville, H.J., 253
Lawson, D., see Neville, H.J., 268
Lawson, D., see Neville, H.J., 284
Leiva, J., see Motles, E., 165
Lénárd, L., see Nishino, H., 56
Levine, M.S., Schneider, J.S., Lloyd, R.L., Hull, C.D. and Buchwald, N.A., Aging reduces somatosensory responsiveness of caudate neurons in the awake cat, 389
Lloyd, R.L., see Levine, M.S., 389
Loopuijt, L.D., Sebens, J.B. and Korf, J., A mosaic-like distribution of dopamine receptors in rat neostriatum and its relationship to striosomes, 405

MacIver, M.B., see Konopacki, J., 196
Martin, J.B., see Beal, M.F., 213
Masinovsky, B., see Callaway, J.C., 295
Mason, W.T., see Inenaga, K., 159
Mazurek, M.F., see Beal, M.F., 213
McNamara, J.O., see Bonhaus, D.W., 358
Mogenson, G.J., see Swanson, L.W., 108
Mogensen, J., see Jørgensen, O.S., 39
Motles, E., Saavedra, H., Infante, C., Leiva, J. and Gonzalez, M., Study of the morphological, electrophysiological and behavioral effects of unilateral kainic acid injection into the cat's substantia nigra, 165
Mrzljak, L., see Seress, L., 169

Nah, H.-D., see Whitehead, M.C., 192
Nakagami, Y., see Suda, T., 247
Neville, H.J. and Lawson, D., Attention to central and peripheral visual space in a movement detection task: an event-related potential and behavioral study. I. Normal hearing adults, 253
Neville, H.J. and Lawson, D., Attention to central and peripheral visual space in a movement detection task: an event-related potential and behavioral study. II. Congenitally deaf adults, 268
Neville, H.J. and Lawson, D., Attention to central and peripheral visual space in a movement detection task. III. Separate effects of auditory deprivation and acquisition of a visual language, 284
Nishino, H., Oomura, Y., Aou, S. and Lénárd, L., Catecholaminergic mechanisms of feeding-related lateral hypothalamic activity in the monkey, 56
Niso, R., see Bissoli, R., 380
Nixdorf, B. and Bischof, H.-J., Ultrastructural effects of monocular deprivation in the neuropil of nucleus rotundus in the zebra finch: a quantitative electron microscopic study, 326

O'Byrne, K.T., Eltringham, L. and Summerlee, A.J.S., Central inhibitory effects of relaxin on the milk ejection reflex of the rat depends upon the site of injection into the cerebroventricular system, 80
Olson, L., see Sundström, E., 26
Ong, J., see Kerr, D.I.B., 150
Ono, K. and Wada, J.A., Facilitation of premotor cortical seizure development by intranigral muscimol, 183
Oomura, Y., see Nishino, H., 56
Osada, H., see Ando, S., 371

Pfaff, D.W., see Cohen, M.S., 155
Pierce, M.E. and Besharse, J.C., Melatonin and rhythmic photoreceptor metabolism: melatonin-induced cone elongation is blocked at high light intensity, 400
Plunkett, L.M., Shigematsu, K., Kurihara, M. and Saavedra, J.M., Localization of angiotension II receptors along the anteroventral third ventricle area of the rat brain, 205
Polak, J.M., see Kuwayama, Y., 220
Prager, R.H., see Kerr, D.I.B., 150
Prestwich, S.A., Forda, S.R. and Dolphin, A.C., Adenosine antagonists increase spontaneous and evoked transmitter release from neuronal cells in culture, 130

Ram, J.L. and Dagan, D., Inactivating and non-inactivating outward current channels in cell-attached patches of *Helix* neurons, 16
Reynolds, J.B., see Ebbesson, S.O.E., 175
Rigsbee, L.C., see Bonhaus, D.W., 358
Rimvall, K., see Keller, F., 305
Roth, S.H., see Konopacki, J., 196

Saavedra, H., see Motles, E., 165
Saavedra, J.M., see Plunkett, L.M., 205
Schild, D., Response pattern features of mitral cells in the goldfish olfactory bulb, 364
Schneider, J.S., see Levine, M.S., 389
Schwartz-Giblin, S., see Cohen, M.S., 155
Sears, T.A., see Kirkwood, P.A., 187
Sebens, J.B., see Loopuijt, L.D., 405
Seress, L. and Mrzljak, L., Basal dendrites of granule cells are normal features of the fetal and adult dentate gyrus of both monkey and human hippocampal formations, 169
Shigematsu, K., see Plunkett, L.M., 205
Shizume, K., see Suda, T., 247

Simerly, R.B., see Swanson, L.W., 108
Singer, W., see Stichel, C.C., 395
Sladek, C.D., see Davis, B.J., 1
Sladek Jr., J.R., see Davis, B.J., 1
Smith, J.E., see Ebbesson, S.O.E., 175
Srebro, B., see Bramham, C.R., 100
Stagg, D., see Kirkwood, P.A., 187
Stein, B.E., see Clemo, H.R., 313
Steinbusch, H.W.M., see Berkenbosch, F., 353
Stichel, C.C., Dolabela de Lima, A. and Singer, W., A search for choline acetyltransferase-like immunoreactivity in neurons of cat striate cortex, 395
Stone, R.A., see Kuwayama, Y., 220
Strömberg, I., see Sundström, E., 26
Suda, T., Tomori, N., Yajima, F., Sumitomo, T., Nakagami, Y., Ushiyama, T., Demura, H. and Shizume, K., Time course study on the effect of reserpine on hypothalamic immunoreactive CRF levels in rats, 247
Sumitomo, T., see Suda, T., 247
Summerlee, A.J.S., see O'Byrne, K.T., 80
Sundström, E., Strömberg, I., Tsutsumi, T., Olson, L. and Jonsson, G., Studies on the effect of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on central catecholamine neurons in C57BL/6 mice. Comparison with three other strains of mice, 26
Swanson, L.W., Mogenson, G.J., Simerly, R.B. and Wu, M., Anatomical and electrophysiological evidence for a projection from the medial preoptic area to the 'mesencephalic and subthalamic locomotor regions' in the rat, 108
Szabo, T., see Bissoli, R., 380

Takahashi, J.S. and Turek, F.W., Anisomycin, an inhibitor of protein synthesis, perturbs the phase of a mammalian circadian pacemaker, 199
Tang, L.C., The modulation of dopamine-sensitive adenylate cyclase activity in the mouse caudate nucleus by estradiol, 178
Terenghi, G., see Kuwayama, Y., 220
Tomori, N., see Suda, T., 247
Trojanowski, J.Q., see Kuwayama, Y., 220
Tsutsumi, T., see Sundström, E., 26
Turek, F.W., see Takahashi, J.S., 199

Ushiyama, T., see Suda, T., 247

Vacas, M.I., see Franchi, A.M., 384

Wada, J.A., see Ono, K., 183
Walters, J.R., see Weick, B.G., 234
Waser, P.G., see Keller, F., 305
Weick, B.G. and Walters, J.R., Effects of D_1 and D_2 dopamine receptor stimulation on the activity of substantia nigra pars reticulata neurons in 6-hydroxydopamine lesioned rats: D_1/D_2 coactivation induces potentiated responses, 234
Westgaard, R.H., see Kirkwood, P.A., 187
Wheal, H.V., see Holt, S.J., 227
Whitehead, M.C., Frank, M.E., Hettinger, T.P., Hou, L.-T. and Nah, H.-D., Persistence of taste buds in denervated fungiform papillae, 192
Wilcox, G.L., Carlsson, K.-H., Jochim, A. and Jurna, I., Mutual potentiation of antinociceptive effects of morphine and clonidine on motor and sensory responses in rat spinal cord, 84
Wu, M., see Swanson, L.W., 108

Yajima, F., see Suda, T., 247
Yamashita, H., Inenaga, K. and Kannan, H., Depolarizing effect of noradrenaline on neurons of the rat supraoptic nucleus in vitro, 348
York, D.A., see Holt, S.J., 227